

Bluechip Hospitality Services

Hospitality our Lifeline



- ★ Hygienic Storage & Food Transportation Solutions
- ★ Commercial Kitchen Equipment & Food Processing Units
- ★ Smart Cleaning & Washing Solutions
- ★ Light Kitchen Equipment & Table Accessories
- ★ Hygienic Fragrance & Scenting Solutions



Insulated Isothermal Containers

1. Maintain consistent temperature Hot / Cold without losing aroma, taste or characteristics with optimum hygiene
2. Thick foam core insulation and stainless steel inner wall prevents temperature loss 8 to 12 hours
3. Easily washable and Stain free
4. Stackable to maximum height or minimum space and easy
5. Ideal for Hot / Cold food transport 8-12 Hrs



Insulated barrel 9 Ltrs Dia 28.5 cm Height 30.5 cm N.W: 2.6 kg
 Insulated barrel 15 Ltrs Dia 33.5 cm Height 30.0 cm N.W: 4.0 kg
 Insulated barrel 30 Ltrs Dia 41.0 cm Height 38.0 cm N.W: 6.6 kg
 Insulated barrel 50 Ltrs Dia 45.5 cm height 45 cm N.W: 8.0 kg
 Insulated barrel 60 Ltrs Dia 49.5 cm height 46 cm N.W: 8.8 kg



SS Carrier Round
 Hot Box Inner 9 Ltrs
 SS Carrier Round
 Hot Box Inner 15 Ltrs



Insulated barrel 9 Ltrs Dia 28.5 cm Height 30.5 cm N.W: 2.8 kg
 Insulated barrel 15 Ltrs Dia 33.5 cm Height 30.0 cm N.W: 4.2 kg
 Insulated barrel 30 Ltrs Dia 41.0 cm Height 38.0 cm N.W: 6.8 kg

Round Isothermal Hot Box Spare parts



Taps
 Gasket
 Side Clips
 Handle



Electric Insulated Food Containers 90L /
 Heated Food Pan Carrier Capacity: 90L,
 External Dimension: 67*48*63 CM
 Internal Dimension: 53*33.5*51 CM
 It can accommodate..

2 units of 1/1 gn pan of 200 mm depth,
 3 units of 1/1 gn pan of 150 mm depth,
 4 units of 1/1 gn pan of 100 mm depth,
 6 units of 1/1 gn pan of 65mm depth,

Insulated Isothermal (Square / Rectangle)



Capacity: 30 Ltrs

Outer Dia: (L x B x H): 63 x 43 x 31.5 CM
 Inner Dia: (L x B x H): 53 x 33 x 21 CM



Capacity: 45 Ltrs

Outer Dia: (L x B x H): 62.5 x 48.5 x 31.5 CM
 Inner Dia: (L x B x H): 49 x 38 x 22 CM



Capacity: 60 Ltrs

Outer Dia: (L x B x H): 62.5 x 48.5 x 38 CM
 Inner Dia: (L x B x H): 49 x 38 x 29 CM



Capacity: 70 Ltrs

Outer Dia: (L x B x H): 64.5 x 55.5 x 39.5 CM
 Inner Dia: (L x B x H): 54 x 43 x 30 CM



Capacity 10 Ltrs

Outer Dia: (L x B x H): 44 x 38 x 34 CM
 Inner Dia: (L x B x H): 30 x 24 x 14.5 CM



Capacity 15 Ltrs

Outer Dia: (L x B x H): 44 x 38 x 39.5 CM
 Inner Dia: (L x B x H): 30 x 24 x 19.5 CM



Capacity 20Ltrs

Outer Dia: (L x B x H): 38.5 x 38.5 x 44.5 CM
 Inner Dia: (L x B x H): 28 x 29 CM



Capacity 30 Ltrs

Outer Dia: (L x B x H): 43.5 x 43.5 x 52.5 CM
 Inner Dia: (L x B x H): 3.1 x 35.5 CM



Capacity 40 Ltrs

Outer Dia: (L x B x H): 4.4 x 4.4 x 62.5 CM
 Inner Dia: (L x B x H): 3.1 x 45.5 CM



Capacity 50 Ltrs

Outer Dia: (L x B x H): 45.5 x 45.5 x 6.5 CM
 Inner Dia: (L x B x H): 3.4 x 3.4 x 4.45 CM



Square Isothermal Hot Box Spare parts
 Gasket, Side Clips, Handle, Stopper Vents



External Dimension: 635*460*640MM
 Capacity: 90L, It can accommodate..
 2 units of 1/1 gn pan of 200 mm depth,
 3 units of 1/1 gn pan of 150 mm depth,
 4 units of 1/1 gn pan of 100 mm depth,
 6 units of 1/2 gn pan of 65 mm depth



External Dimension: 610*420*800MM
 Capacity: 120L, It can accommodate..
 3 units of 1/1 gn pan of 200 mm depth,
 4 units of 1/1 gn pan of 150 mm depth,
 6 units of 1/1 gn pan of 100 mm depth,
 8 units of 1/2 gn pan of 65 mm depth

REFRIGERATION



VENTILATED COOLING
SS Upright 4 Door Chiller / Freezer
 Capacity : 1200 Litrs
 Size. (mm) : 1314 x 845 x 2100
 Temp. : C-1°C ~ +8°C, F -22°C ~ -17°C
 Power : C-0.45 kw, 220V, F-0.90 kw, 220V

STATIC COOLING
SS Upright 4 Door Chiller / Freezer
 Capacity : 820 Litrs
 Size. (mm) : 1220 x 692 x 1887
 Temp. : C+0°C ~ +10°C, F --18°C ~ -15°C
 Power : C-0.29 kw, 220V, F- 0.30 kw, 220V



VENTILATED COOLING
SS Upright 2 Door Chiller / Freezer
 Capacity : 600 Litrs
 Size. (mm) : 680 x 810 x 2010
 Temp. : C-2°C ~ +8°C, F -22°C ~ -18°C
 Power : C-0.21 kw, 220V, F-0.47 kw, 220V

STATIC COOLING
SS Upright 2 Door Chiller / Freezer
 Capacity : 369 Litrs
 Size. (mm) : 620 x 692 x 1887
 Temp. : C+0°C ~ +10°C, F --18°C ~ -15°C
 Power : C-0.16 kw, 220V, F- 0.17 kw, 220V



VENTILATED COOLING
SS Under Counter 2 Door Chiller / Freezer
 Capacity : 282 Litrs
 Size. (mm) : 1360 x 700 x 850
 Temp. : C-2°C ~ +8°C, F -22°C ~ -18°C
 Power : C-0.22 kw, 220V, F-0.52 kw, 220V

STATIC COOLING
SS Under Counter 2 Door Chiller / Freezer
 Capacity : 271 Litrs
 Size. (mm) : 1200 x 700 x 800
 Temp. : C+0°C ~ +10°C, F -18°C ~ -12°C
 Power : C-0.16 kw, 220V, F-0.35 kw, 220V



VENTILATED COOLING
SS Under Counter 3 Door Chiller / Freezer
 Capacity : 417 Litrs
 Size. (mm) : 1795 x 700 x 850
 Temp. : C-2°C ~ +8°C, F -22°C ~ -18°C
 Power : C-0.23 kw, 220V, F-0.56 kw, 220V

STATIC COOLING
SS Under Counter 3 Door Chiller / Freezer
 Capacity : 470 Litrs
 Size. (mm) : 1800 x 700 x 800
 Temp. : C+0°C ~ +10°C, F -18°C ~ -12°C
 Power : C-0.16 kw, 220V, F-0.30 kw, 220V



Salad Counter - 3 Door
 Capacity : 6 x 1/4 GN
 Size (mm) : 1365 x 700 x 970
 Temp. : +2°C ~ 8°C
 Power : 0.3 kw, 220V



Salad Counter - 2 Door
 Capacity : 5 x 1/6 GN
 Size (mm) : 900 x 700 x 970
 Temp. : +2°C ~ 8°C
 Power : 0.25 kw, 220V



3 Door Back Bar Chiller
 Capacity : 315 Litrs
 Size (mm) : 1335 x 505 x 875
 Temp. : +2°C ~ 8°C
 Power : 0.24 kw, 220V



2 Door Back Bar Chiller
 Capacity : 250 Litrs
 Size (mm) : 920 x 515 x 905
 Temp. : +2°C ~ 8°C
 Power : 0.16 kw, 220V



Gross Capacity : 550ltrs
 Dimension(WxDxH) : 64 x 24 x 36 Inches
 Temperature range : (-17 ~ -24 Deg C) Adjustable
 Door : Sliding Glass Door, Baskets : 4



Gross Capacity : 500ltrs
 Dimension(WxDxH) : 63 X 27 X 32 inches
 Basket : 2 Voltage/Frequency : 220V/50HZ



Capacity : 1100ltrs
 Dimension(WxDxH) : 50x26x80 inches
 Temperature range : 17degC to -24DegC
 No. of Lids/Door : 2(Front Opening Glass)



300ltrs Single Door Visi Cooler
 Gross Capacity : 300ltrs
 Dimension(WxDxH) : 620 x 595 x 1975 mm



Makeline with Under Counter Chiller



9 Drawers Undercounter Chiller

ELECTRIC RANGE



Electric Contact Grill
Dimension: 305x400x210(mm)
Volts:220V/50Hz,Power:1.8KW



Electric Cone Baker
Dimension: 360x250x230(mm)
Volts:220V/50Hz,Power:1KW



Electric Waffle Baker
Dimension: 310x355x240(mm)
Volts:220V/50Hz,Power:2KW



Electric Stick Waffle
Dimension: 450x300x245(mm)
Volts:220V/50Hz,Power:1.5KW



Electric Single Fryer
Dimension: 460x280x310(mm)
Capacity:6L Volts:220-240V/50-60Hz
Power:2.5KW With temperature control



Electric Double Fryer
Dimension: 460x580x310(mm)
Capacity:12L Volts:220-240V/50-60Hz
Power:2.5+2.5KW With temperature control



Electric Conveyor Toaster
Dimension: 300x420x300(mm)
Volts:220-240V, Power:1.5KW



Gas Griddle - 1/2 Flat & 1/2 Ribbed
Dimension: 600X590X500(mm)
Plate Thickness : 12



Electric Pizza Oven
Dimension: 560x570x440(mm)
Volts:220-240V, Power:3KW
Weight:33Kg, Each deck for 1*12" pizza



ELECTRIC VEGETABLE CUTTING MACHINE
Size: Dimensions: 59 x 27 x 48
Net Weight: 28Kg, Gross Weight: 33Kg



ROBOT COUPE POWER MIXER
Speed - 9500 RPM, Power - 500 Watt 2 Tube
Length - 450mm Total Length - 840mm Ø
125mm HS CODE - 84386000



ELECTRIC MASALA GRINDER
350A, to 3500A, 500gm to 2.5 Kg

Hot / Cold Brewer



Fresh Filter Coffee & Tea Brewer - CTM220
Coffee Powder 250 grams & Tea Powder 200 grams
Water tank Capacity 2 Ltrs



Milk Boiler
Capacity: 5 Litres



Tea urn Heavy with tap



Commercial Single Tank Juice Dispenser Machine
15L Capacity

Cooking Ranges and Fabrication



SS Single Burner Range
Dimension: 24"x24"x24"



SS Single Burner Chinese Range
Dimension: 24"x24"x24"



SS Single Ring Burner Range
Dimension: 30"x30"x24"



SS Biryani Warmer
Dimension: 30"x30"x24"



SS Two Burner Range
Dimension: 45"x24"x30"



2 Burner Chinese Range + Stock Pot
Dimension: 72"x28"x30"



SS Three Burner Range
Dimension: 72"x28"x30"



2 Burner Chinese Range + Stock Pot
Dimension: 45"x24"x30"



SS Four Burner Range
Dimension: 30"x30"x36"



SS Six Burner Range
Dimension: 45"x33"x48"



Dosa Tawa
Dimension : 48"x24"x36"



Bainmarie with 6 Compartment
Customized as per requirement



Three Sink Unit
Customized as per requirement



Working Table
Customized as per requirement

KITCHEN EQUIPMENT



GRAVY MACHINE



**2 IN 1 PULVERISER
(DRY PULVERISER)**



ROUND MIXER GRINDER



ONION CUTTING MACHINE



VEGETABLE CUTTING MACHINE



RICE WASHER MACHINE



**VEGETABLE CUTTER MACHINE
DURABLE HANDLE**



OIL DRYER MACHINE



DHOKLA / IDLI STEAMER



WET GRINDER



TILTING WET GRINDER



ELECTRIC MEAT MINCER



COCONUT SCRAPER



VEGETABLE WASHING AND PEELING MACHINE



VADA MAKING MACHINE



IDIYAPPAM MAKING MACHINE

BAKING EQUIPMENT / COMBI OVEN / DISH WASHER



Planetary Mixer - 20 Litres
 Dimension: 415 x 530 x 780(mm)
 Raw Flour : 6 Kgs. Power : 0.75 kw, 220V



Spiral Mixer - 20 Litres (Double Speed)
 Dimension: 690 x 380 x 730(mm)
 Raw Flour : 8 Kgs. Power : 1.1 kw, 220V



Dough Sheeter-Floor type
 Dough Capacity : 5.5Kg, Gap Range : 1-40mm
 Dimension: 900x2700x1100(mm)
 Power : 0.55 kw, 440V



Dough Sheeter-Table type
 Dough Capacity : 5.5Kg, Gap Range : 1-40mm
 Dimension: 910x1890x590(mm)
 Power : 0.55 kw, 440V



Bread Slicer
 Dimension: 650X740X780(mm)
 Power : 0.25 Kw, 220V



1 Deck/2 Tray Baking Oven
 Electric Operated, Without Steam & Stone,
 Power : 6.6 kw, 440V, Tray Size : 600 x 400
 Dimension: 1230X820X530(mm)



1 Deck/2 Tray Baking Oven
 Gas Operated Without Steam & Stone,
 Power : 0.1 kw, 220V, Tray Size : 600 x 400
 Dimension: 1350X850X600(mm)



2 Deck 4 Tray Electric Oven
 Size: 1260 x 850 x 1250
 Power: 380V/50Hz/12.6KW
 N/G Weight: 188/208
 Details: Tray size: 400*600mm



SUGARCANE JUICE MACHINE



Potato Peeler
 Capacity : 10, 15, 20 and 30 Kgs



Dough Kneader
 Capacity : 5, 10, 15, 20,
 25, 40 and 50 Kgs



XEDA-0611-EXRS
 Unox Commercial countertop combi ovens
 CHEFTOP-X Digital.ID
 Dim (L x D x H): L 750 X D 841 X H 789 mm



XEDA-1011-EXRS
 Unox Commercial combi ovens
 Dim (L x D x H): L 750 X D 841 X H 1069 mm



COMMERCIAL DOSA MACHINE



INSTANT GRINDER



ELITE-GS24 - Gas Rice / Idli / Momos / Potato Steamer (w/o tray)



ELITE-GS12 - Gas Rice / Idli / Momos / Potato Steamer (w/o tray)

ENVIRO SCENTING SOLUTIONS



SCENTING SYSTEM AHU



WALL MOUNTED AHU



TOWER AHU



AHU OIL



DIFFUSER OIL



AEROSOL DISPENSER



MICROBIAL BACTERIAL FRESHNER



AROMA AIR REVITALIZER



SDS PLUG IN



CARPET POWDER



CITRONELLA STICKS



ANTI SMOKE



SDS TRAVEL

COMPARTMENT TRAY



5 Compartment Lunch Box



4 Compartment Lunch Box



3 Compartment Lunch Box



2 Compartment Lunch Box



6 Compartment tray



3 Compartment tray



4 Compartment tray



7 Compartment tray

DISPENSERS



ELECTRIC COOLING JUICE DISPENSER



SS JUICE DISPENSER



CEREAL DISPENSER



GASTRONORM PANS & LIDS



- GN PAN 1/1 530 X 325 MM
- GN PAN 1/2 325 X 265 MM
- GN PAN 1/3 325 X 176 MM
- GN PAN 1/4 265 X 162 MM
- GN PAN 1/6 176 X 162 MM
- GN PAN 1/9 176 X 108 MM



GN PAN 2/1



ICE CREAM PAN 120 mm
Size: 360x165x120 mm



GN PAN 2/3



PERFORATED GASTRONORM PANS
20mm, 40mm, 65mm, 100mm, 150mm



GRIP LIDS & SS LIDS

CHAFING DISHES



Induction Base Chafing Dish



Hydraulic Chafing Dish



Rose Gold Chafing Dish



Soup Station



Digital Chafing Dish



Digital Chafing Dish



Roll Top Chafing Dish



Lift Top Chafing Dish

INDUCTION COOK TOP



Wok Top Cooking



2.2KW Induction Warmer



3.5 KW Induction Cooking



Induction Cooker

DISHWASHER



CONVEYOR DISHWASHER MODEL - WM902



CONVEYOR DISHWASHER MODEL - WM904



CRATE / TRAY WASHERS MODEL - WM820



GRANULE MAXI FLOW EDITION



POT & UTENSIL WASHER VS P109-86N



HOOD TYPE DISHWASHER



UNDER COUNTER DISHWASHER



SS Loading Table With Sink



SS UnLoading Table



Storage rack 4 shelf perforated



Storage rack 4 shelf



Pot wash rack 4 shelf



Pre-Rinse Faucet



Faucet Wall Mounted



Dosa Tawa cleaning/sprinkler Faucet



HOSE REEL



Dishwasher Tablet 20gms



Faucet - Deck Mounted Standard



Liquid Rinse Aid Concentrate



Liquid Detergent Concentrate



PLATE RACK



GLASS RACK



CUTLERY RACK

HOSPITAL CART



Hospital Cart - HHC60S



Hospital Cart - HHC30S



Digital Controllers

Bumper guards noise-free castors

HOUSEKEEPING



ICE CADDY



DISH CADDY



ROOM SERVICE TROLLEY WITH FOOD WARMER



ELECTRIC HAND DRYER



UTILITY CART TROLLEY



SS LAUNDRY TROLLEY



SS TROLLEY WITH TRAY & DUSTBIN



AIR CURTAIN WITH STRIP

PEST CONTROL



Warrior - BHS 45 WH



Insectocutor - BHS122



Insectocutor - BHS 418



Glue Pad Model




Ultrasonic Pest Repeller



Roda Box

Automatic Chapati Machine



Gas Automatic Chapati Machine



Electric Automatic Chapati Machine



Dough Ball Cutting Machine



Automatic Chapati Pressing Machine

Waste Management



SE 501 Capacity - 50Kgs



SE 1001 Capacity - 100Kgs



SE 2501 Capacity - 200Kgs

DRUM SPILL PALLETS & HYDRAULIC TRUCK



Hand Pallet Truck



4 Drum Spill Containment Pallets Single Wall




Hydraulic Stacker



2 Drum Spill Pallet




Printing Packaging Pallets



Racking Plastic Pallet



Warehouse Storage Plastic Pallet



Warehouse Storage Plastic Pallet

Plastic Vegetable Crate



Capacity : 45 ltrs
OD : 600(L) x 400(B) x 225(H) mm
ID : 565(L) x 365(B) x 220(H) mm



Capacity : 45 ltrs
OD : 600(L) x 400(B) x 225(H) mm
ID : 565(L) x 365(B) x 220(H) mm



Capacity : 45 ltrs
OD : 600(L) x 400(B) x 225(H) mm
ID : 565(L) x 365(B) x 220(H) mm



Capacity : 24 ltrs
OD : 600(L) x 400(B) x 125(H) mm
ID : 565(L) x 365(B) x 120(H) mm



Capacity : 24 ltrs
OD : 600(L) x 400(B) x 125(H) mm
ID : 565(L) x 365(B) x 120(H) mm



Spec O.D (L*B*H in mm) 600 X 400 x 225
Weight 2.07 Lid Weight 0.7



Spec O.D (L*B*H in mm) 400 X 300 X 150
Weight 1.040 Lid Weight 0.345



Roto Moulded Pallet
9Leg With Steel
Size: 1200 x 1000 x 160



Insulated Ice Boxes



Delivery Box 25 Litres



Gel Liquid

Plastic / SS Bins



Volume : 240 Litres



Volume : 120 Litres



Volume : 90 Litres



Volume : 35 Litres



Volume : 16 Litres



Volume : 25 Litres



SS Dustbin Duo 60L x 2




SS open, swing and Pedal Type Bin



Round Iron+Leather Bin

SUGARCANE BAGASSE PLATES




Bagasse Plates, Spoons and Cups

PROFESSIONAL BRANDS WE ARE ASSOCIATED



OUR PATRONS FROM THE INDUSTRY





HEAD OFFICE: No. 1/89 B Pillaiyar Koil Street, Jalladianpet, Chennai- 600 100
 Mob: +91 99626 05248, 7550065248 Tel:044-43204399,
 Email:gopal@bluechips.com, sales@bluechips.com,
 Bluechiphospitality@gmail.com
 www.bluechipkitchenequipment.in
 GST NO: 33AAQFB7004D1ZU
 DUNS NUMBER 913993660

HYDERABAD BRANCH OFFICE: No 201-10-2-198 2nd Floor Entrenchment Road,
 East Marredpall Opp Hdfc Bank, Telangana - 500026
 Mob: +91-88850 18362
 Email: shivakumargm.bluechip@gmail.com

BANGALORE BRANCH OFFICE: 24, Nisarga Nilaya, 2nd Cross, Vidyanagara,
 T Dasarahalli, Bengaluru- 560057
 Mob: +91- 6364611056
 Email: nitishkumarbdm.bluechip@gmail.com

