

Bluechip Hospitality



Hospitality Our Lifeline

# Bluechip Hospitality



# Insulated Isothermal Containers

1. Maintain consistent temperature Hot / Cold without losing aroma, taste or characteristics with optimum hygiene
2. Thick foam core insulation and stainless steel inner wall prevents temperature loss 8 to 12 hours
3. Easily washable and Stain free
4. Stackable to maximum height or minimum space and easy
5. Ideal for Hot / Cold food transport 8-12 Hrs



Insulated Container Inner SS Carrier Round 9ltrs SS Inner  
Insulated Container Inner SS Carrier Round 15ltrs SS Inner



Insulated barrel 9ltrs Dia 8.5 inch height 10inch N.W: 3.1 kg  
Insulated barrel 15ltrs Dia 11 inch height 9inch N.W: 4.0 kg  
Insulated barrel 30ltrs Dia 14 inch height 12.5inch N.W: 6.7 kg  
Insulated barrel 50ltrs Dia 16 inch height 15inch N.W: 8.5 kg

Insulated barrel with Tap 9ltrs Dia 8.5 inch height 10inch N.W : 3.3 kg  
Insulated barrel with Tap 15ltrs Dia 11 inch height 9inch N.W: 4.2 kg  
Insulated barrel with Tap 30ltrs Dia 14 inch height 12.5inch N.W: 7.0 kg



Electric Insulated Food Containers 90L  
Heated Food Pan Carrier Capacity: 90L,  
External Dimension: 67\*48\*63 CM  
Internal Dimension: 53\*33.5\*51 CM  
It can accommodate..

2 units of 1/1 gn pan of 200 mm depth,  
3 units of 1/1 gn pan of 150 mm depth,  
4 units of 1/1 gn pan of 100 mm depth,  
6 units of 1/1 gn pan of 65mm depth,



# Insulated Isothermal (Square / Rectangle)



Outer size: 63\*443x31.5 cm;  
Inner size: 53\*33\*21 cm; Volume: 30L;  
Net weight:9.5kgs; Packaged weight:10.65kgs;  
Packaged size: 64cm x 45cm x 34cm



Outer size: 63\*443x31.5 cm;  
Inner size: 53\*33\*21 cm; Volume: 30L;  
Net weight:9.5kgs; Packaged weight:10.65kgs;  
Packaged size: 64cm x 45cm x 34cm



Outer size: 63\*443x31.5 cm;  
Inner size: 53\*33\*21 cm; Volume: 30L;  
Net weight:9.5kgs; Packaged weight:10.65kgs;  
Packaged size: 64cm x 45cm x 34cm



Capacity 10 Ltrs,  
Outer Dia: (L x B x H): 44 x 38.5 x 29 CM  
Inner Dia: (L x B x H): 36 x 30 x 15 CM



Capacity 15 Ltrs,  
Outer Dia: (L x B x H): 44 x 38.5 x 34 CM  
Inner Dia: (L x B x H): 36 x 30 x 20 CM



Capacity 20 Ltrs,  
External Size: (L x B x H): 390\*390\*450mm  
Internal Size: (Dia): Φ280\*280mm



Capacity 30 Ltrs,  
External Size: (L x B x H): 390\*390\*450mm  
Internal Size: (Dia): Φ280\*280mm



Capacity 40 Ltrs,  
Outer Dia: (L x B x H): 31.5 x 31.5 x 41.5 CM  
Inner Dia: (L x B x H): 347.5 x 47.5 x 60 CM



Capacity 50 Ltrs,  
Outer Dia: (L x B x H): 45.5 cm x 45.5 cm x 65 CM  
Inner Dia: (L x B x H): 34 cm x 34 cm x 44.5 CM



External Dimension: 635\*460\*640MM  
Capacity: 90L, It can accommodate..  
2 units of 1/1 gn pan of 200 mm depth,  
3 units of 1/1 gn pan of 150 mm depth,  
4 units of 1/1 gn pan of 100 mm depth,  
6 units of 1/2 gn pan of 65 mm depth



External Dimension: 610\*420\*800MM  
Capacity: 120L, It can accommodate..  
3 units of 1/1 gn pan of 200 mm depth,  
4 units of 1/1 gn pan of 150 mm depth,  
6 units of 1/1 gn pan of 100 mm depth,  
8 units of 1/2 gn pan of 65 mm depth

# REFRIGERATION



**VENTILATED COOLING**  
 SS Upright 4 Door Chiller / Freezer  
 Capacity : 1200 Litrs  
 Size. (mm) : 1314 x 845 x 2100  
 Temp. : C-1°C ~ +8°C, F -22°C ~ -17°C  
 Power : C-0.45 kw, 220V, F-0.90 kw, 220V

**STATIC COOLING**  
 SS Upright 4 Door Chiller / Freezer  
 Capacity : 820 Litrs  
 Size. (mm) : 1220 x 692 x 1887  
 Temp. : C+0°C ~ +10°C, F --18°C ~ -15°C  
 Power : C-0.29 kw, 220V, F- 0.30 kw, 220V



**VENTILATED COOLING**  
 SS Upright 2 Door Chiller / Freezer  
 Capacity : 600 Litrs  
 Size. (mm) : 680 x 810 x 2010  
 Temp. : C-2°C ~ +8°C, F -22°C ~ -18°C  
 Power : C-0.21 kw, 220V, F-0.47 kw, 220V

**STATIC COOLING**  
 SS Upright 2 Door Chiller / Freezer  
 Capacity : 369 Litrs  
 Size. (mm) : 620 x 692 x 1887  
 Temp. : C+0°C ~ +10°C, F --18°C ~ -15°C  
 Power : C-0.16 kw, 220V, F- 0.17 kw, 220V



**VENTILATED COOLING**  
 SS Under Counter 2 Door Chiller / Freezer  
 Capacity : 282 Litrs  
 Size. (mm) : 1360 x 700 x 850  
 Temp. : C-2°C ~ +8°C, F -22°C ~ -18°C  
 Power : C-0.22 kw, 220V, F-0.52 kw, 220V

**STATIC COOLING**  
 SS Under Counter 2 Door Chiller / Freezer  
 Capacity : 271 Litrs  
 Size. (mm) : 1200 x 700 x 800  
 Temp. : C+0°C ~ +10°C, F -18°C ~ -12°C  
 Power : C-0.16 kw, 220V, F-0.35 kw, 220V



**VENTILATED COOLING**  
 SS Under Counter 3 Door Chiller / Freezer  
 Capacity : 417 Litrs  
 Size. (mm) : 1795 x 700 x 850  
 Temp. : C-2°C ~ +8°C, F -22°C ~ -18°C  
 Power : C-0.23 kw, 220V, F-0.56 kw, 220V

**STATIC COOLING**  
 SS Under Counter 3 Door Chiller / Freezer  
 Capacity : 470 Litrs  
 Size. (mm) : 1800 x 700 x 800  
 Temp. : C+0°C ~ +10°C, F -18°C ~ -12°C  
 Power : C-0.16 kw, 220V, F-0.30 kw, 220V



**Salad Counter - 3 Door**  
 Capacity : 6 x 1/4 GN  
 Size (mm) : 1365 x 700 x 970  
 Temp. : +2°C ~ 8°C  
 Power : 0.3 kw, 220V



**Salad Counter - 2 Door**  
 Capacity : 5 x 1/6 GN  
 Size (mm) : 900 x 700 x 970  
 Temp. : +2°C ~ 8°C  
 Power : 0.25 kw, 220V



**3 Door Back Bar Chiller**  
 Capacity : 315 Litrs  
 Size (mm) : 1335 x 505 x 875  
 Temp. : +2°C ~ 8°C  
 Power : 0.24 kw, 220V



**2 Door Back Bar Chiller**  
 Capacity : 250 Litrs  
 Size (mm) : 920 x 515 x 905  
 Temp. : +2°C ~ 8°C  
 Power : 0.16 kw, 220V



Gross Capacity : 550ltrs  
 Dimension(WxDxH) : 64 x 24 x 36 Inches  
 Temperature range : ( -17 ~ -24 Deg C) Adjustable  
 Door : Sliding Glass Door, Baskets : 4



Gross Capacity : 500ltrs  
 Dimension(WxDxH) : 63 X 27 X 32 inches  
 Basket : 2 Voltage/Frequency : 220V/50HZ



Capacity : 1100ltrs  
 Dimension(WxDxH) : 50x26x80 inches  
 Temperature range : 17degC to -24DegC  
 No. of Lids/Door : 2(Front Opening Glass)



300ltrs Single Door Visi Cooler  
 Gross Capacity : 300ltrs  
 Dimension(WxDxH) : 620 x 595 x 1975 mm



**Makeline with Under Counter Chiller**



**9 Drawers Undercounter Chiller**

# ELECTRIC RANGE



**Electric Contact Grill**  
 Dimension: 305x400x210(mm)  
 Volts:220V/50Hz,Power:1.8KW



**Electric Cone Baker**  
 Dimension: 360x250x230(mm)  
 Volts:220V/50Hz,Power:1KW



**Electric Waffle Baker**  
 Dimension: 310x355x240(mm)  
 Volts:220V/50Hz,Power:2KW



**Electric Stick Waffle**  
 Dimension: 450x300x245(mm)  
 Volts:220V/50Hz,Power:1.5KW



**Electric Single Fryer**  
 Dimension: 460x280x310(mm)  
 Capacity:6L Volts:220-240V/50-60Hz  
 Power:2.5KW With temperature control



**Electric Double Fryer**  
 Dimension: 460x580x310(mm)  
 Capacity:12L Volts:220-240V/50-60Hz  
 Power:2.5+2.5KW With temperature control



**Electric Conveyor Toaster**  
 Dimension: 300x420x300(mm)  
 Volts:220-240V, Power:1.5KW



**Gas Griddle - 1/2 Flat & 1/2 Ribbed**  
 Dimension: 600X590X500(mm)  
 Plate Thickness : 12



**Electric Pizza Oven**  
 Dimension: 560x570x440(mm)  
 Volts:220-240V, Power:3KW  
 Weight:33Kg, Each deck for 1\*12" pizza



**ELECTRIC VEGETABLE CUTTING MACHINE**  
 Size: Dimensions: 59 x 27 x 48  
 Net Weight: 28Kg, Gross Weight: 33Kg



**ROBOT COUPE POWER MIXER**  
 Speed - 9500 RPM, Power - 500 Watt 2 Tube  
 Length - 450mm Total Length - 840mm Ø  
 125mm HS CODE - 84386000



**Model - TM 2 SIRMAN - VEGETABLE CUTTER**  
 INOX with 6 Blade Power - 515 Watt - 0.7 HP  
 Disc Revolution - 300 RPM

# Hot / Cold Brewer



**Fresh Filter Coffee & Tea Brewer - CTM220**  
 Coffee Powder 250 grams & Tea Powder 200 grams  
 Water tank Capacity 2 Ltrs



**Milk Boiler**  
 Capacity: 5 Litres



**Tea urn Heavy with tap**



**Commercial Single Tank Juice Dispenser Machine**  
 15L Capacity

# Cooking Ranges and Fabrication



SS Singl Burner Range  
Dimension: 24"x24"x24"



SS Two Burner Range  
Dimension: 45"x24"x30"



SS Three Burner Range  
Dimension: 72"x28"x30"



SS Four Burner Range  
Dimension: 30"x30"x36"



SS Six Burner Range  
Dimension: 45"x33"x48"



2Burner Chinese Range + Stock Pot  
Dimension: 45"x24"x30"



SS Singl Burner Chinese Range  
Dimension: 24"x24"x24"



2Burner Chinese Range + Stock Pot  
Dimension: 72"x28"x30"



Dosa Tawa  
Dimension : 48"x24"x36"



Bainmarie with 4 Compartment  
Dimension as per requirement



Three Sink Unit  
Dimension as per requirement



Working Table  
Dimension as per requirement

# KITCHEN EQUIPMENT



**GREVY MACHINE**



**2IN1 PULVERISER  
(DRY PULVERISER)**



**ROUND MIXER GRINDER**



**ONION CUTTING MACHINE**



**VEGETABLE CUTTING MACHINE**



**FARSAN (NAMKEEN) MACHINE**



**TILTING COATING PAN**



**FLAVORING MACHINE**



**LIVE STEAM DHOKLA**



**WET GRINDER**



**TILTING WET GRINDER**



**Electric Meat Mincer**



**COCONUT SCRAPER**



**VEGETABLE WASHING AND PEELING MACHINE**



**AUTOMATIC VEGETABLE CUTTING MACHINE  
(WITH 2 AC DRIVES)**

# BAKING EQUIPMENT / COMBI OVEN / DISH WASHER



**Planetary Mixer - 20 Litres**  
 Dimension: 415 x 530 x 780(mm)  
 Raw Flour : 6 Kgs. Power : 0.75 kw, 220V



**Spiral Mixer - 20 Litres (Double Speed)**  
 Dimension: 690 x 380 x 730(mm)  
 Raw Flour : 8 Kgs. Power : 1.1 kw, 220V



**Dough Sheeter-Floor type**  
 Dough Capacity : 5.5Kg, Gap Range : 1-40mm  
 Dimension: 900x2700x1100(mm)  
 Power : 0.55 kw, 440V



**Dough Sheeter-Table type**  
 Dough Capacity : 5.5Kg, Gap Range : 1-40mm  
 Dimension: 910x1890x590(mm)  
 Power : 0.55 kw, 440V



**Bread Slicer**  
 Dimension: 650X740X780(mm)  
 Power : 0.25 Kw, 220V



**1 Deck/2 Tray Baking Oven**  
 Electric Operated, Without Steam & Stone,  
 Power : 6.6 kw, 440V, Tray Size : 600 x 400  
 Dimension: 1230X820X530(mm)



**1 Deck/2 Tray Baking Oven**  
 Gas Operated Without Steam & Stone,  
 Power : 0.1 kw, 220V, Tray Size : 600 x 400  
 Dimension: 1350X850X600(mm)



**2 Deck 4 Tray Electric Oven**  
 Size: 1260 x 850 x 1250  
 Power: 380V/50Hz/12.6KW  
 N/G Weight:188/208  
 Details:Tray size: 400\*600mm



**Potato Peeler**  
 Capacity : 10, 15, 20 and 30 Kgs



**Dough Kneader**  
 Capacity : 5, 10, 15, 20,  
 25, 40 and 50 Kgs



**ModelHECME6**  
 Dimensions(mm)890W x 890D x 720H  
 Weight(Kg)120, Power(V)415, Power(Amps)13.7  
 Power(Phase)3, Power(k W)9.5  
 Brand Hobart ( Germany )



**Gas Rice / Idli / Momos / Potato Steamer (w/o tray)- ELITE-GS24**



**Conveyor Dish Washer Size : 2050 x 800 x 1880**



**Under Counter Dish Washer Size : 600 x 600 x 820mm**  
 Tank Capacity : 24 Ltrs , Crete Size : 500 x 500cm



**HOOD TYPE DISHWASHER**  
 Size: W 635 x D742 x H 1.480 (1.960) mm  
 Loading height: 440 mm, Rack Size: 500 x 500 mm



**SS Loading Table With Sink With Splash**



**Pre- Rinse Faucet Spray Unit**



**Hose Reel**



**Pot wash rack 4 shelf**



**Storage rack 4 shelf**



**Storage rack 4 shelf perforated**



**SS UnLoading Table**

# ENVIRO SCENTING SOLUTIONS



**SCENTING SYSTEM AHU**



**SCENTING SYSTEM WALL MOUNTED**



**TOWER SYSTEM**



**AHU Oil      Diffuser Oil**



**AROMA AIR REVITALIZER  
JET SERIES**



**CARPET POWDER**



**GARDEN INCENSE  
STICKS**



**AUTOMATIC AEROSOL DISPENSER**



**Anti Bacterial Air Sanitizer**



**Anti Smoke 5 L**

## COMPARTMENT TRAY



**5 Compartment  
Lunch Box**



**4 Compartment  
Lunch Box**



**3 Compartment  
Lunch Box**



**2 Compartment  
Lunch Box**



**6 Compartment tray**



**3 Compartment tray**



**4 Compartment tray**



**7 Compartment tray**

# GASTRONORM PANS & LIDS / ACCESSORIES

## Gastronorm Pans



**GASTRONORM PANS 1/1 : 530 X 325 MM**  
 GF - 11020, 20 mm 530x325x20 mm 2.5 L  
 GF - 11040, 40 mm 530x325x40 mm 5.6 L  
 GF - 11065, 65 mm 530x325x65 mm 9.5 L  
 GF - 11100, 100 mm 530x325x100 mm 12.5 L  
 GF - 11150, 150 mm 530x325x150 mm 20 L  
 GF - 11200, 200 mm 530x325x200 mm 28 L



**GASTRONORM PANS 1/2 : 325 X 265 mm**  
 GF - 12020, 20 mm 325x265x20 mm 1.2 L  
 GF - 12040, 40 mm 325x265x40 mm 2.4 L  
 GF - 12065, 65 mm 325x265x65 mm 4 L  
 GF - 12100, 100 mm 325x265x100 mm 6 L  
 GF - 12150, 150 mm 325x265x150 mm 9.2 L  
 GF - 12200, 200 mm 325x265x200 mm 12 L



**GASTRONORM PANS 1/3 : 325 X 176 mm**  
 GF - 13020, 20 mm 325x176x20 mm 0.8 L  
 GF - 13040, 40 mm 325x176x40 mm 1.6 L  
 GF - 13065, 65 mm 325x176x65 mm 2.4 L  
 GF - 13100, 100 mm 325x176x100 mm 3.5 L  
 GF - 13150, 150 mm 325x176x150 mm 5.3 L  
 GF - 13200, 200 mm 325x176x200 mm 7.5 L



**GASTRONORM PANS 1/4 : 265 x 162 mm**  
 GF - 14020, 20 mm 265x162x20 mm 0.6 L  
 GF - 14040, 40 mm 265x162x40 mm 1.1 L  
 GF - 14065, 65 mm 265x162x65 mm 1.7 L  
 GF - 14100, 100 mm 265x162x100 mm 2.5 L  
 GF - 14150, 150 mm 265x162x150 mm 4 L  
 GF - 14150, 200 mm 265x162x200 mm 5.2 L



**GASTRONORM PANS 1/6 : 176 x 162 mm**  
 GF - 16065, 65 mm 176x162x65 mm 1 L  
 GF - 16100, 100 mm 176x162x100 mm 1.5 L  
 GF - 16150, 150 mm 176x162x150 mm 2.2 L  
 GF - 16200, 200 mm 176x162x200mm 3.2 L



**GASTRONORM PANS 1/9 176 X 108 mm**  
 GF - 19065, 65 mm 65 mm 176x108x65 mm 0.5 L  
 GF - 19100, 100 mm 100 mm 176x108x100 mm 0.7 L  
 GF - 19150, 150 mm 150 mm 176x108x150 mm 1 L



**GASTRONORM PANS**  
 2/3 and 20mm, 40mm, 65mm, 100mm, 150mm



**PERFORATED GASTRONORM PANS**  
 2/3 and 20mm, 40mm, 65mm, 100mm, 150mm



**ICE CREAM PAN 120 mm**  
 Size: 360x165x120 mm



**GN Lid 1/1 530x325 mm**  
**GN Lid 1/2 325x265 mm**  
**GN Lid 1/3 325x176 mm**  
**GN Lid 1/4 265x162 mm**  
**GN Lid 1/6 176x162 mm**  
**GN Lid 1/9 176x108 mm**



**INDIAN SQUARE HYDRAULIC CHAPER**  
 Capacity in Litres : 8 ltrs



**INDUCTION HOB COOKTOP**  
 Size(mm) 340 x 340 x 73  
 Rated Voltage 230 VAC, Power 3.5KW  
 Ceramic Plate : 340mm (Dia)

**Chaffing Dish Heating Element**



**Chaffing Dish Fuel Wick**



**PUFF Insulated SS Hot box**



Fitting : Wall / Ceiling  
 Machine Size: 25 X 9 X 14 Inch (L X W X H)  
 U.V.Tubes:24"/20 W X 2 Nos (Phillips Holland)  
 Power Consumption:50 W  
 Open Area:300 Sq.ft Closed Area: 600 Sq.ft.



**Beach Wood Material Tray**  
 Size: 365 x 235 x 30 mm



**SS open, swing and Pedal Type Bin**



**Room Round Waste Bin**  
 (220\*255\*0.4) Iron+Leather



**HAND DRYER 2 WAVES 1800W**



**Paper Dispenser**

# SCAN BOX



Tray line

Ergo line

Ergo line Combo

Banquet master

**MAIN PRODUCT RANGE**



ScanBox

- Icon: A (Arenas)
- Icon: Snowflake (Bakery)
- Icon: Fire (Casinos)

**1/1 GN per level (normal operation)**  
**2x/1GN per level (bulk operation)**  
**Double Door Units (Ergo or Banquet Line)**

**A great product got better and greener!**



- Icon: Gear (Maintenance)
- Icon: Lightbulb (Energy Efficiency)
- Icon: Leaf (Eco-Friendly)
- Icon: Wheel (Mobility)
- Icon: USB (Connectivity)
- Icon: Water drop (Water Management)
- Icon: Fire (Fire Safety)
- Icon: Recycling (Recycling)



TrayLine Room Service A20+H10

**ACTIVE SEGMENTS**



- Arenas
- Bakery
- Casinos
- Catering
- Correctional Facilities
- Education
- Elderly Care
- Government
- Health Care
- Marine
- Hotels
- Restaurants

# SCAN BOX

## Hot, Cold & Ambient Food Holding and Transportation Solutions

**Protective Top Frame**  
Provides additional storage on top and protects the box from damage.

**Push/Pull Handles**  
Larger models feature push/pull handles for safe and full control.

**Excentre Lock**  
Durable and safe during transport.

**Signature Branding**  
The boxes can be customized with a company logo and branding.

**Large Castors**  
Our boxes move quietly on 160mm large, chrome castors that don't mark floors.

**Digital LED Display**  
It has variable temperature settings and indicates when the desired temperature is reached.

**Adjustable Ventilation**  
Provides complete control of moisture levels.


**Detachable Runners**  
Allow even airflow and can be easily cleaned in the dishwasher.

**Tilt Stop**  
The U-shaped runners prevent tilting pans to ensure safe operations.

**Aluminium Interior**  
Up to 50% lighter than stainless steel, yet just as robust!



# Automatic Chapati Machine



Automatic Chapati Making Machine



Automatic Chapati Pressing Machine



Dough Ball Cutting Machine

## DRAIN THROUGH



Anti Skid Cover  
Perforated Cover



Anti Skid Cover  
Perforated Cover



Drain Trough


## Waste Management



SE 501 Capacity - 50Kgs



SE 1001 Capacity - 100Kgs



SE 2501 Capacity - 200Kgs



SE 3501 Capacity - 350Kgs



SE 5001 Capacity - 500Kgs



SE 1H Capacity - 1000Kgs

# Veg Crate / Ice Box / Delivery Box



Capacity : 45 ltrs  
 OD : 600(L) x 400(B) x 225(H) mm  
 ID : 565(L) x 365(B) x 220(H) mm



Capacity : 45 ltrs  
 OD : 600(L) x 400(B) x 225(H) mm  
 ID : 565(L) x 365(B) x 220(H) mm



Capacity : 45 ltrs  
 OD : 600(L) x 400(B) x 225(H) mm  
 ID : 565(L) x 365(B) x 220(H) mm



Capacity : 24 ltrs  
 OD : 600(L) x 400(B) x 125(H) mm  
 ID : 565(L) x 365(B) x 120(H) mm



Capacity : 24 ltrs  
 OD : 600(L) x 400(B) x 125(H) mm  
 ID : 565(L) x 365(B) x 120(H) mm



Spec O.D (L\*B\*H in mm) 600 X 400 x 225  
 Weight 2.07 Lid Weight 0.7



**Roto Moulded Pallet**  
**9Leg With Steel**  
**Size: 1200 x 1000 x 160**



**Insulated Ice Boxes**



**Food Delivery Box**



**Food Delivery Box**



**Food Delivery Box**

# Foot Pedal Bin



Volume : 240 Litres



Volume : 120 Litres



Volume : 90 Litres



Volume : 35 Litres



Volume : 25 Litres



**SS Dustbin Duo 60L x 2**



**SS Dustbin Duo 60L x 3**



**SS Swing Lid**



**SS Dome Lid**

# SUGARCANE BAGASSE PLATES



**7" Plate 1000 Pcs**



**9" Plate 500 Pcs**



**11" Plate 500 Pcs**



**180ml Bowl 1000 Pcs**



**250ml Bowl 1000 Pcs**



**500ml container 1000 Pcs**



**750ml container 500 Pcs**



**4 CP Tray 500 Pcs 5 CP Tray 500 Pcs**





# Bluechip Hospitality Services

## Hospitality our Lifeline

### Corporate Office

Door No. 1/89 B Pillaiyar koil street,  
 Jalladianpet, Sholinganallur, Chennai - 600100  
 Ph: 044 4320 4399, +91 9962605248, +91 7550065248  
[gopal@bluechiph.com](mailto:gopal@bluechiph.com), [sales@bluechiph.com](mailto:sales@bluechiph.com), [www.bluechiph.com](http://www.bluechiph.com)

### Secunderabad Regional Office

No 201-10-2-198 2nd Floor,  
 Entrenchment Road East Marredpall,  
 Opp HDFC Bank Secunderabad, Telangana - 500026  
 Ph: 044 4320 4399, +91 8885018362  
[shivakumargm.bluechip@gmail.com](mailto:shivakumargm.bluechip@gmail.com), [sales@bluechiph.com](mailto:sales@bluechiph.com)

### Bangalore Regional Office

12 1st c Main Lakshmi Devamma block  
 Ganga Nagar Bangalore - 560032  
 Ph: +91 9962605248 , +91 6364611056  
[salesmanager@bluechiph.com](mailto:salesmanager@bluechiph.com)